

Typenbezeichnung / type / type / tipo / tipo	VARIANT 1 VA	VARIANT 1 VA	VARIO 1 GG																																																																																																													
<b>UNF-Feingewinde ASME B1.1</b> Unified fine thread ASME B1.1 Filetage américain à pas fin ASME B1.1 Filettatura fine unificata ASME B1.1 Rosca unificada fina ASME B1.1 ~DIN 371 																																																																																																																
<b>Bohrung</b> / bore / type de trou / fori / tipos de agujeros																																																																																																																
<b>Einsatzgebiet</b> / application / application adatto per lavorazione di / aplicación	1.1-1.5 / 2.1-2.3 3.2-3.4 / 4.1-4.5 5.2-5.3 / 7.1-7.2 8.1	1.1-1.5 / 2.1-2.3 3.2-3.4 / 4.1-4.3 5.2-5.3	3.1-3.4 / 5.4 8.2-8.3																																																																																																													
<b>Ausführung</b> / model / exécution / modello / modelo	TIN	HL	TICN																																																																																																													
<b>Werkstoff</b> / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM	HSSE-PM																																																																																																													
<b>Gewindetoleranz</b> / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	2B	2B	2BX																																																																																																													
<b>Schafttoleranz</b> / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h9	h9	h9																																																																																																													
<b>Anschnitt</b> / chamfer / entrée / imbocco / entrada	B / 3-5,5	B / 3-5,5	C / 2-3																																																																																																													
<table border="1"> <thead> <tr> <th>Ød<sub>1</sub></th> <th>P</th> <th>l<sub>1</sub></th> <th>l<sub>2</sub></th> <th>l<sub>3</sub></th> <th>Ød<sub>2</sub></th> <th>a</th> <th></th> <th>Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr><td>UNF No2</td><td>- 64</td><td>45</td><td>9</td><td>9</td><td>2,8</td><td>2,1</td><td>1,85</td><td>066825</td></tr> <tr><td>UNF No3</td><td>- 56</td><td>50</td><td>9</td><td>9</td><td>2,8</td><td>2,1</td><td>2,1</td><td>066826</td></tr> <tr><td>UNF No4</td><td>- 48</td><td>56</td><td>10</td><td>18</td><td>3,5</td><td>2,7</td><td>2,35</td><td>066827</td></tr> <tr><td>UNF No5</td><td>- 44</td><td>56</td><td>10</td><td>18</td><td>3,5</td><td>2,7</td><td>2,65</td><td>066828</td></tr> <tr><td>UNF No6</td><td>- 40</td><td>56</td><td>11</td><td>20</td><td>4</td><td>3</td><td>2,85</td><td>066829</td></tr> <tr><td>UNF No8</td><td>- 36</td><td>63</td><td>12</td><td>21</td><td>4,5</td><td>3,4</td><td>3,5</td><td>066830</td></tr> <tr><td>UNF No10</td><td>- 32</td><td>70</td><td>14</td><td>25</td><td>6</td><td>4,9</td><td>4,1</td><td>005245 045675</td></tr> <tr><td>UNF No12</td><td>- 28</td><td>80</td><td>16</td><td>30</td><td>6</td><td>4,9</td><td>4,6</td><td>048952</td></tr> <tr><td>UNF 1/4"</td><td>- 28</td><td>80</td><td>16</td><td>30</td><td>7</td><td>5,5</td><td>5,5</td><td>005244 042481 035872</td></tr> <tr><td>UNF 5/16"</td><td>- 24</td><td>90</td><td>18</td><td>35</td><td>8</td><td>6,2</td><td>6,9</td><td>005246 042483 103962</td></tr> <tr><td>UNF 3/8"</td><td>- 24</td><td>90</td><td>18</td><td>39</td><td>10</td><td>8</td><td>8,5</td><td>005247 033290 108485</td></tr> </tbody> </table>	Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		Identnummer / identification number / code article / codice / número de identificación	UNF No2	- 64	45	9	9	2,8	2,1	1,85	066825	UNF No3	- 56	50	9	9	2,8	2,1	2,1	066826	UNF No4	- 48	56	10	18	3,5	2,7	2,35	066827	UNF No5	- 44	56	10	18	3,5	2,7	2,65	066828	UNF No6	- 40	56	11	20	4	3	2,85	066829	UNF No8	- 36	63	12	21	4,5	3,4	3,5	066830	UNF No10	- 32	70	14	25	6	4,9	4,1	005245 045675	UNF No12	- 28	80	16	30	6	4,9	4,6	048952	UNF 1/4"	- 28	80	16	30	7	5,5	5,5	005244 042481 035872	UNF 5/16"	- 24	90	18	35	8	6,2	6,9	005246 042483 103962	UNF 3/8"	- 24	90	18	39	10	8	8,5	005247 033290 108485				
Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		Identnummer / identification number / code article / codice / número de identificación																																																																																																								
UNF No2	- 64	45	9	9	2,8	2,1	1,85	066825																																																																																																								
UNF No3	- 56	50	9	9	2,8	2,1	2,1	066826																																																																																																								
UNF No4	- 48	56	10	18	3,5	2,7	2,35	066827																																																																																																								
UNF No5	- 44	56	10	18	3,5	2,7	2,65	066828																																																																																																								
UNF No6	- 40	56	11	20	4	3	2,85	066829																																																																																																								
UNF No8	- 36	63	12	21	4,5	3,4	3,5	066830																																																																																																								
UNF No10	- 32	70	14	25	6	4,9	4,1	005245 045675																																																																																																								
UNF No12	- 28	80	16	30	6	4,9	4,6	048952																																																																																																								
UNF 1/4"	- 28	80	16	30	7	5,5	5,5	005244 042481 035872																																																																																																								
UNF 5/16"	- 24	90	18	35	8	6,2	6,9	005246 042483 103962																																																																																																								
UNF 3/8"	- 24	90	18	39	10	8	8,5	005247 033290 108485																																																																																																								

**Maschinengewindebohrer**

machinemachine taps / tarauds machine / maschi a macchina / machos para roscado a máquina



Typenbezeichnung / type / type / tipo / tipo	VARIANT 2 VA	VARIANT 2 VA	VARIO 2 GG																																																																									
<p><b>UNF-Feingewinde ASME B1.1</b>            Unified fine thread ASME B1.1            Filetage américain à pas fin ASME B1.1            Filettatura fine unificata ASME B1.1            Rosca unificada fina ASME B1.1            ~DIN 374</p>																																																																												
<b>Bohrung</b> / bore / type de trou / fori / tipos de agujeros																																																																												
<b>Einsatzgebiet</b> / application / application adatto per lavorazione di / aplicación	1.1-1.5 / 2.1-2.3 3.2-3.4 / 4.1-4.5 5.2-5.3 / 7.1-7.2 8.1	1.1-1.5 / 2.1-2.3 3.2-3.4 / 4.1-4.3 5.2-5.3	3.1-3.4 / 5.4 8.2-8.3																																																																									
<b>Ausführung</b> / model / exécution / modello / modelo	TIN	HL	TICN																																																																									
<b>Werkstoff</b> / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM	HSSE-PM																																																																									
<b>Gewindetoleranz</b> / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	2B	2B	2BX																																																																									
<b>Schafttoleranz</b> / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h9	h9	h9																																																																									
<b>Anschnitt</b> / chamfer / entrée / imbocco / entrada	B / 3-5,5	B / 3-5,5	C / 2-3																																																																									
<table border="1"> <thead> <tr> <th>Ød<sub>1</sub></th> <th>P</th> <th>l<sub>1</sub></th> <th>l<sub>2</sub></th> <th>l<sub>3</sub></th> <th>Ød<sub>2</sub></th> <th>a</th> <th></th> <th>Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr> <td>UNF 7/16"</td> <td>- 20</td> <td>100</td> <td>22</td> <td>-</td> <td>8</td> <td>6,2</td> <td>9,9</td> <td>005248 033289</td> </tr> <tr> <td>UNF 1/2"</td> <td>- 20</td> <td>100</td> <td>22</td> <td>-</td> <td>9</td> <td>7</td> <td>11,5</td> <td>005249 042484 105302</td> </tr> <tr> <td>UNF 9/16"</td> <td>- 18</td> <td>100</td> <td>22</td> <td>-</td> <td>11</td> <td>9</td> <td>12,9</td> <td>048963</td> </tr> <tr> <td>UNF 5/8"</td> <td>- 18</td> <td>100</td> <td>22</td> <td>-</td> <td>12</td> <td>9</td> <td>14,5</td> <td>005250 042486 038711</td> </tr> <tr> <td>UNF 3/4"</td> <td>- 16</td> <td>110</td> <td>25</td> <td>-</td> <td>14</td> <td>11</td> <td>17,5</td> <td>005251 045667 108486</td> </tr> <tr> <td>UNF 7/8"</td> <td>- 14</td> <td>125</td> <td>25</td> <td>-</td> <td>18</td> <td>14,5</td> <td>20,4</td> <td>048962 015962</td> </tr> <tr> <td>UNF 1"</td> <td>- 12</td> <td>140</td> <td>28</td> <td>-</td> <td>18</td> <td>14,5</td> <td>23,25</td> <td>005252 048953</td> </tr> </tbody> </table>	Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		Identnummer / identification number / code article / codice / número de identificación	UNF 7/16"	- 20	100	22	-	8	6,2	9,9	005248 033289	UNF 1/2"	- 20	100	22	-	9	7	11,5	005249 042484 105302	UNF 9/16"	- 18	100	22	-	11	9	12,9	048963	UNF 5/8"	- 18	100	22	-	12	9	14,5	005250 042486 038711	UNF 3/4"	- 16	110	25	-	14	11	17,5	005251 045667 108486	UNF 7/8"	- 14	125	25	-	18	14,5	20,4	048962 015962	UNF 1"	- 12	140	28	-	18	14,5	23,25	005252 048953				
Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		Identnummer / identification number / code article / codice / número de identificación																																																																				
UNF 7/16"	- 20	100	22	-	8	6,2	9,9	005248 033289																																																																				
UNF 1/2"	- 20	100	22	-	9	7	11,5	005249 042484 105302																																																																				
UNF 9/16"	- 18	100	22	-	11	9	12,9	048963																																																																				
UNF 5/8"	- 18	100	22	-	12	9	14,5	005250 042486 038711																																																																				
UNF 3/4"	- 16	110	25	-	14	11	17,5	005251 045667 108486																																																																				
UNF 7/8"	- 14	125	25	-	18	14,5	20,4	048962 015962																																																																				
UNF 1"	- 12	140	28	-	18	14,5	23,25	005252 048953																																																																				

Typenbezeichnung / type / type / tipo / tipo	DOMINANT 1 HZ38	DOMINANT 1 HZ38																																																								
<p><b>UNF-Feingewinde ASME B1.1</b>            Unified fine thread ASME B1.1            Filetage américain à pas fin ASME B1.1            Filettatura fine unificata ASME B1.1            Rosca unificada fina ASME B1.1</p> <p><b>~DIN 371</b></p>																																																										
<b>Bohrung</b> / bore / type de trou / fori / tipos de agujeros																																																										
<b>Einsatzgebiet</b> / application / application adatto per lavorazione di / aplicación	1.2-1.5 / 4.1 4.3 / 4.5	1.2-1.5 / 2.1-2.3 3.2-3.4																																																								
<b>Ausführung</b> / model / exécution / modello / modelo		HL																																																								
<b>Werkstoff</b> / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM																																																								
<b>Gewindetoleranz</b> / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	2B	2B																																																								
<b>Schafttoleranz</b> / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h9	h9																																																								
<b>Anschnitt</b> / chamfer / entrée / imbocco / entrada	C / 2-3	C / 2-3																																																								
<table border="1"> <thead> <tr> <th>Ød<sub>1</sub></th> <th>P</th> <th>l<sub>1</sub></th> <th>l<sub>2</sub></th> <th>l<sub>3</sub></th> <th>Ød<sub>2</sub></th> <th>a</th> <th></th> <th colspan="2">Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr> <td>UNF</td> <td>No10</td> <td>- 32</td> <td>70</td> <td>9</td> <td>25</td> <td>6</td> <td>4,9</td> <td>4,1</td> <td>107619</td> <td>048964</td> </tr> <tr> <td>UNF</td> <td>1/4"</td> <td>- 28</td> <td>80</td> <td>10</td> <td>30</td> <td>7</td> <td>5,5</td> <td>5,5</td> <td>107598</td> <td>048965</td> </tr> <tr> <td>UNF</td> <td>5/16"</td> <td>- 24</td> <td>90</td> <td>13</td> <td>35</td> <td>8</td> <td>6,2</td> <td>6,9</td> <td>107614</td> <td>048967</td> </tr> <tr> <td>UNF</td> <td>3/8"</td> <td>- 24</td> <td>90</td> <td>12</td> <td>39</td> <td>10</td> <td>8</td> <td>8,5</td> <td>107601</td> <td>048966</td> </tr> </tbody> </table>	Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		Identnummer / identification number / code article / codice / número de identificación		UNF	No10	- 32	70	9	25	6	4,9	4,1	107619	048964	UNF	1/4"	- 28	80	10	30	7	5,5	5,5	107598	048965	UNF	5/16"	- 24	90	13	35	8	6,2	6,9	107614	048967	UNF	3/8"	- 24	90	12	39	10	8	8,5	107601	048966				
Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		Identnummer / identification number / code article / codice / número de identificación																																																		
UNF	No10	- 32	70	9	25	6	4,9	4,1	107619	048964																																																
UNF	1/4"	- 28	80	10	30	7	5,5	5,5	107598	048965																																																
UNF	5/16"	- 24	90	13	35	8	6,2	6,9	107614	048967																																																
UNF	3/8"	- 24	90	12	39	10	8	8,5	107601	048966																																																

**Maschinengewindebohrer**

machinemachine taps / tarauds machine / maschi a macchina / machos para roscado a máquina



Typenbezeichnung / type / type / tipo / tipo	DOMINANT 2 HZ38	DOMINANT 2 HZ38																																																																																		
<p><b>UNF-Feingewinde ASME B1.1</b>            Unified fine thread ASME B1.1            Filetage américain à pas fin ASME B1.1            Filettatura fine unificata ASME B1.1            Rosca unificada fina ASME B1.1            ~DIN 374</p>																																																																																				
<b>Bohrung</b> / bore / type de trou / fori / tipos de agujeros																																																																																				
<b>Einsatzgebiet</b> / application / application adatto per lavorazione di / aplicación	1.2-1.5 / 4.1 4.3 / 4.5	1.2-1.5 / 2.1-2.3 3.2-3.4																																																																																		
<b>Ausführung</b> / model / exécution / modello / modelo		HL																																																																																		
<b>Werkstoff</b> / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM																																																																																		
<b>Gewindetoleranz</b> / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	2B	2B																																																																																		
<b>Schafttoleranz</b> / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h9	h9																																																																																		
<b>Anschnitt</b> / chamfer / entrée / imbocco / entrada	C / 2-3	C / 2-3																																																																																		
<table border="1"> <thead> <tr> <th>Ød<sub>1</sub></th> <th>P</th> <th>l<sub>1</sub></th> <th>l<sub>2</sub></th> <th>l<sub>3</sub></th> <th>Ød<sub>2</sub></th> <th>a</th> <th></th> <th colspan="2">Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr> <td>UNF 7/16"</td> <td>- 20</td> <td>100</td> <td>18</td> <td>-</td> <td>8</td> <td>6,2</td> <td>9,9</td> <td>108265</td> <td>048977</td> </tr> <tr> <td>UNF 1/2"</td> <td>- 20</td> <td>100</td> <td>15</td> <td>-</td> <td>9</td> <td>7</td> <td>11,5</td> <td>108258</td> <td>048969</td> </tr> <tr> <td>UNF 9/16"</td> <td>- 18</td> <td>100</td> <td>15</td> <td>-</td> <td>11</td> <td>9</td> <td>12,9</td> <td>108267</td> <td>048978</td> </tr> <tr> <td>UNF 5/8"</td> <td>- 18</td> <td>100</td> <td>15</td> <td>-</td> <td>12</td> <td>9</td> <td>14,5</td> <td>108264</td> <td>048975</td> </tr> <tr> <td>UNF 3/4"</td> <td>- 16</td> <td>110</td> <td>18</td> <td>-</td> <td>14</td> <td>11</td> <td>17,5</td> <td>108259</td> <td>048970</td> </tr> <tr> <td>UNF 7/8"</td> <td>- 14</td> <td>125</td> <td>18</td> <td>-</td> <td>18</td> <td>14,5</td> <td>20,4</td> <td>108266</td> <td>048976</td> </tr> <tr> <td>UNF 1"</td> <td>- 12</td> <td>140</td> <td>20</td> <td>-</td> <td>18</td> <td>14,5</td> <td>23,25</td> <td>108253</td> <td>048968</td> </tr> </tbody> </table>	Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		Identnummer / identification number / code article / codice / número de identificación		UNF 7/16"	- 20	100	18	-	8	6,2	9,9	108265	048977	UNF 1/2"	- 20	100	15	-	9	7	11,5	108258	048969	UNF 9/16"	- 18	100	15	-	11	9	12,9	108267	048978	UNF 5/8"	- 18	100	15	-	12	9	14,5	108264	048975	UNF 3/4"	- 16	110	18	-	14	11	17,5	108259	048970	UNF 7/8"	- 14	125	18	-	18	14,5	20,4	108266	048976	UNF 1"	- 12	140	20	-	18	14,5	23,25	108253	048968				
Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		Identnummer / identification number / code article / codice / número de identificación																																																																												
UNF 7/16"	- 20	100	18	-	8	6,2	9,9	108265	048977																																																																											
UNF 1/2"	- 20	100	15	-	9	7	11,5	108258	048969																																																																											
UNF 9/16"	- 18	100	15	-	11	9	12,9	108267	048978																																																																											
UNF 5/8"	- 18	100	15	-	12	9	14,5	108264	048975																																																																											
UNF 3/4"	- 16	110	18	-	14	11	17,5	108259	048970																																																																											
UNF 7/8"	- 14	125	18	-	18	14,5	20,4	108266	048976																																																																											
UNF 1"	- 12	140	20	-	18	14,5	23,25	108253	048968																																																																											

Typenbezeichnung / type / type / tipo / tipo	DOMINANT 1 VA45	DOMINANT 1 VA45	DOMINANT 1 VA45	DOMINANT 1 VA45																																																																																																																																	
<p><b>UNF-Feingewinde ASME B1.1</b>            Unified fine thread ASME B1.1            Filetage américain à pas fin ASME B1.1            Filettatura fine unificata ASME B1.1            Rosca unificada fina ASME B1.1</p> <p><b>~DIN 371</b></p>																																																																																																																																					
<b>Bohrung / bore / type de trou / fori / tipos de agujeros</b>																																																																																																																																					
<b>Einsatzgebiet / application / application adatto per lavorazione di / aplicación</b>	1.3-1.5 / 4.3 4.5 / 5.1-5.3 8.1	1.3-1.5 / 4.3 4.5 / 5.1-5.3 8.1	1.1-1.6 / 2.1-2.3 4.1 / 4.3 / 4.5 5.1-5.3 / 7.1 8.1	1.1-1.6 / 2.1-2.3 3.1-3.4 / 5.1-5.3 7.1-7.2																																																																																																																																	
<b>Ausführung / model / exécution / modello / modelo</b>			TIN	HL																																																																																																																																	
<b>Werkstoff / tool material / substrat / materiale / material</b>	HSSE-PM	HSSE-PM	HSSE-PM	HSSE-PM																																																																																																																																	
<b>Gewindetoleranz / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca</b>	2B	3B	2B	2B																																																																																																																																	
<b>Schafttoleranz / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango</b>	h9	h9	h9	h9																																																																																																																																	
<b>Anschnitt / chamfer / entrée / imbocco / entrada</b>	C / 2-3	C / 2-3	C / 2-3	C / 2-3																																																																																																																																	
<table border="1"> <thead> <tr> <th>Ød<sub>1</sub></th> <th>P</th> <th>l<sub>1</sub></th> <th>l<sub>2</sub></th> <th>l<sub>3</sub></th> <th>Ød<sub>2</sub></th> <th>a</th> <th></th> <th colspan="4"><b>Identnummer / identification number / code article / codice / número de identificación</b></th> </tr> </thead> <tbody> <tr> <td>UNF</td> <td>No3</td> <td>- 56</td> <td>50</td> <td>9</td> <td>14</td> <td>2,8</td> <td>2,1</td> <td>2,15</td> <td>025017</td> <td>025026</td> <td></td> <td></td> </tr> <tr> <td>UNF</td> <td>No4</td> <td>- 48</td> <td>56</td> <td>7</td> <td>18</td> <td>3,5</td> <td>2,7</td> <td>2,4</td> <td>025018</td> <td>025027</td> <td></td> <td></td> </tr> <tr> <td>UNF</td> <td>No5</td> <td>- 44</td> <td>56</td> <td>7</td> <td>18</td> <td>3,5</td> <td>2,7</td> <td>2,7</td> <td>025019</td> <td>025028</td> <td></td> <td></td> </tr> <tr> <td>UNF</td> <td>No6</td> <td>- 40</td> <td>56</td> <td>7</td> <td>20</td> <td>4</td> <td>3</td> <td>2,95</td> <td>025020</td> <td>025029</td> <td></td> <td></td> </tr> <tr> <td>UNF</td> <td>No8</td> <td>- 36</td> <td>63</td> <td>8</td> <td>21</td> <td>4,5</td> <td>3,4</td> <td>3,5</td> <td>025021</td> <td>025030</td> <td></td> <td></td> </tr> <tr> <td>UNF</td> <td>No10</td> <td>- 32</td> <td>70</td> <td>9</td> <td>25</td> <td>6</td> <td>4,9</td> <td>4,1</td> <td>025022</td> <td>025031</td> <td>021537</td> <td>028948</td> </tr> <tr> <td>UNF</td> <td>1/4"</td> <td>- 28</td> <td>80</td> <td>10</td> <td>30</td> <td>7</td> <td>5,5</td> <td>5,5</td> <td>025023</td> <td>025032</td> <td>021539</td> <td>021547</td> </tr> <tr> <td>UNF</td> <td>5/16"</td> <td>- 24</td> <td>90</td> <td>13</td> <td>35</td> <td>8</td> <td>6,2</td> <td>6,9</td> <td>025024</td> <td>025033</td> <td>021540</td> <td>021548</td> </tr> <tr> <td>UNF</td> <td>3/8"</td> <td>- 24</td> <td>90</td> <td>12</td> <td>39</td> <td>10</td> <td>8</td> <td>8,5</td> <td>025025</td> <td>025034</td> <td>021541</td> <td>027334</td> </tr> </tbody> </table>	Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		<b>Identnummer / identification number / code article / codice / número de identificación</b>				UNF	No3	- 56	50	9	14	2,8	2,1	2,15	025017	025026			UNF	No4	- 48	56	7	18	3,5	2,7	2,4	025018	025027			UNF	No5	- 44	56	7	18	3,5	2,7	2,7	025019	025028			UNF	No6	- 40	56	7	20	4	3	2,95	025020	025029			UNF	No8	- 36	63	8	21	4,5	3,4	3,5	025021	025030			UNF	No10	- 32	70	9	25	6	4,9	4,1	025022	025031	021537	028948	UNF	1/4"	- 28	80	10	30	7	5,5	5,5	025023	025032	021539	021547	UNF	5/16"	- 24	90	13	35	8	6,2	6,9	025024	025033	021540	021548	UNF	3/8"	- 24	90	12	39	10	8	8,5	025025	025034	021541	027334				
Ød <sub>1</sub>	P	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	Ød <sub>2</sub>	a		<b>Identnummer / identification number / code article / codice / número de identificación</b>																																																																																																																													
UNF	No3	- 56	50	9	14	2,8	2,1	2,15	025017	025026																																																																																																																											
UNF	No4	- 48	56	7	18	3,5	2,7	2,4	025018	025027																																																																																																																											
UNF	No5	- 44	56	7	18	3,5	2,7	2,7	025019	025028																																																																																																																											
UNF	No6	- 40	56	7	20	4	3	2,95	025020	025029																																																																																																																											
UNF	No8	- 36	63	8	21	4,5	3,4	3,5	025021	025030																																																																																																																											
UNF	No10	- 32	70	9	25	6	4,9	4,1	025022	025031	021537	028948																																																																																																																									
UNF	1/4"	- 28	80	10	30	7	5,5	5,5	025023	025032	021539	021547																																																																																																																									
UNF	5/16"	- 24	90	13	35	8	6,2	6,9	025024	025033	021540	021548																																																																																																																									
UNF	3/8"	- 24	90	12	39	10	8	8,5	025025	025034	021541	027334																																																																																																																									

**Maschinengewindebohrer**

machinemachine taps / tarauds machine / maschi a macchina / machos para roscado a máquina



Typenbezeichnung / type / type / tipo / tipo	DOMINANT 2 VA45		DOMINANT 2 VA45	DOMINANT 2 VA45																																																																																																																																				
<p><b>UNF-Feingewinde ASME B1.1</b>            Unified fine thread ASME B1.1            Filetage américain à pas fin ASME B1.1            Filettatura fine unificata ASME B1.1            Rosca unificada fina ASME B1.1</p> <p><b>~DIN 374</b></p>																																																																																																																																								
<b>Bohrung</b> / bore / type de trou / fori / tipos de agujeros																																																																																																																																								
<b>Einsatzgebiet</b> / application / application adatto per lavorazione di / aplicación	1.3-1.5 / 4.3 4.5 / 5.1-5.3 8.1		1.1-1.6 / 2.1-2.3 4.1 / 4.3 / 4.5 5.1-5.3 / 7.1 8.1	1.1-1.6 / 2.1-2.3 3.1-3.4 / 5.1-5.3 7.1-7.2																																																																																																																																				
<b>Ausführung</b> / model / exécution / modello / modelo			TIN	HL																																																																																																																																				
<b>Werkstoff</b> / tool material / substrat / materiale / material	HSSE-PM		HSSE-PM	HSSE-PM																																																																																																																																				
<b>Gewindetoleranz</b> / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	2B		2B	2B																																																																																																																																				
<b>Schafttoleranz</b> / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h9		h9	h9																																																																																																																																				
<b>Anschnitt</b> / chamfer / entrée / imbocco / entrada	C / 2-3		C / 2-3	C / 2-3																																																																																																																																				
<table border="1"> <thead> <tr> <th><math>\varnothing d_1</math></th> <th>P</th> <th><math>l_1</math></th> <th><math>l_2</math></th> <th><math>l_3</math></th> <th><math>\varnothing d_2</math></th> <th>a</th> <th></th> <th colspan="3">Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr><td>UNF 7/16"</td><td>- 20</td><td>100</td><td>18</td><td>-</td><td>8</td><td>6,2</td><td>9,9</td><td>025035</td><td>021542</td><td>031214</td></tr> <tr><td>UNF 1/2"</td><td>- 20</td><td>100</td><td>15</td><td>-</td><td>9</td><td>7</td><td>11,5</td><td>025036</td><td>021543</td><td>029009</td></tr> <tr><td>UNF 9/16"</td><td>- 18</td><td>100</td><td>15</td><td>-</td><td>11</td><td>9</td><td>12,9</td><td>025037</td><td></td><td></td></tr> <tr><td>UNF 5/8"</td><td>- 18</td><td>100</td><td>15</td><td>-</td><td>12</td><td>9</td><td>14,5</td><td>025038</td><td>021544</td><td>021553</td></tr> <tr><td>UNF 3/4"</td><td>- 16</td><td>110</td><td>18</td><td>-</td><td>14</td><td>11</td><td>17,5</td><td>025039</td><td>021545</td><td>107460</td></tr> <tr><td>UNF 7/8"</td><td>- 14</td><td>125</td><td>18</td><td>-</td><td>18</td><td>14,5</td><td>20,4</td><td>025040</td><td>025046</td><td>038380</td></tr> <tr><td>UNF 1"</td><td>- 12</td><td>140</td><td>20</td><td>-</td><td>18</td><td>14,5</td><td>23,25</td><td>025041</td><td>025047</td><td>038379</td></tr> <tr><td>UNF 1.1/8"</td><td>- 12</td><td>150</td><td>22</td><td>-</td><td>22</td><td>18</td><td>26,5</td><td>025042</td><td></td><td></td></tr> <tr><td>UNF 1.1/4"</td><td>- 12</td><td>150</td><td>22</td><td>-</td><td>22</td><td>18</td><td>29,5</td><td>025043</td><td></td><td></td></tr> <tr><td>UNF 1.3/8"</td><td>- 12</td><td>170</td><td>24</td><td>-</td><td>28</td><td>22</td><td>32,75</td><td>025044</td><td></td><td></td></tr> <tr><td>UNF 1.1/2"</td><td>- 12</td><td>170</td><td>24</td><td>-</td><td>28</td><td>22</td><td>36</td><td>025045</td><td></td><td></td></tr> </tbody> </table>	$\varnothing d_1$	P	$l_1$	$l_2$	$l_3$	$\varnothing d_2$	a		Identnummer / identification number / code article / codice / número de identificación			UNF 7/16"	- 20	100	18	-	8	6,2	9,9	025035	021542	031214	UNF 1/2"	- 20	100	15	-	9	7	11,5	025036	021543	029009	UNF 9/16"	- 18	100	15	-	11	9	12,9	025037			UNF 5/8"	- 18	100	15	-	12	9	14,5	025038	021544	021553	UNF 3/4"	- 16	110	18	-	14	11	17,5	025039	021545	107460	UNF 7/8"	- 14	125	18	-	18	14,5	20,4	025040	025046	038380	UNF 1"	- 12	140	20	-	18	14,5	23,25	025041	025047	038379	UNF 1.1/8"	- 12	150	22	-	22	18	26,5	025042			UNF 1.1/4"	- 12	150	22	-	22	18	29,5	025043			UNF 1.3/8"	- 12	170	24	-	28	22	32,75	025044			UNF 1.1/2"	- 12	170	24	-	28	22	36	025045						
$\varnothing d_1$	P	$l_1$	$l_2$	$l_3$	$\varnothing d_2$	a		Identnummer / identification number / code article / codice / número de identificación																																																																																																																																
UNF 7/16"	- 20	100	18	-	8	6,2	9,9	025035	021542	031214																																																																																																																														
UNF 1/2"	- 20	100	15	-	9	7	11,5	025036	021543	029009																																																																																																																														
UNF 9/16"	- 18	100	15	-	11	9	12,9	025037																																																																																																																																
UNF 5/8"	- 18	100	15	-	12	9	14,5	025038	021544	021553																																																																																																																														
UNF 3/4"	- 16	110	18	-	14	11	17,5	025039	021545	107460																																																																																																																														
UNF 7/8"	- 14	125	18	-	18	14,5	20,4	025040	025046	038380																																																																																																																														
UNF 1"	- 12	140	20	-	18	14,5	23,25	025041	025047	038379																																																																																																																														
UNF 1.1/8"	- 12	150	22	-	22	18	26,5	025042																																																																																																																																
UNF 1.1/4"	- 12	150	22	-	22	18	29,5	025043																																																																																																																																
UNF 1.3/8"	- 12	170	24	-	28	22	32,75	025044																																																																																																																																
UNF 1.1/2"	- 12	170	24	-	28	22	36	025045																																																																																																																																